Setting Up DVSwitch on Android (not available for iOS)

- An allstarlink.org login is required. If you don't have one, you can sign up on <u>https://allstarlink.org/</u> Use your callsign and make note of the password, it will be needed later.
- 2. Install DVSwitch from the Google Play store. https://play.google.com/store/apps/details?id=org.dvswitch
- 3. On the DVSwitch Dialer screen, press the **More** button.



4. On the popup, touch AllstarLink

📴 Mor	e	Hangup
Macros		
Modes		
Nodes		
AllstarLink		
Audio Settings		
About		
	Cancel	

5. Next, touch WT Setup

📴 AllstarLink		
WT Setup Enter WT Mode		
Extended ASL Lookup		
Last Heard		
Cancel		

6. Enter your callsign and password, then touch **Update token**.



- 7. DVSwitch should respond with a message that the login was successful. Touch the **Save** button.
- 8. The Dialer screen should show **ASL-WT** mode.



9. If not, touch the **More** button, then touch **AllstarLink**, then touch **Enter WT Mode**.

10. DVSwitch is now ready to connect to an Allstar node. On the top of the Dialer screen, enter the node number. For the LWHC node, enter 51860, and touch the **Connect** button. If all goes well, the Dialer screen will look like this:



11. Note that the PTT button is now enabled. Hold the PTT button to transmit, release to stop.